

January 18, 2023

National Stock Exchange of India Limited

Exchange Plaza, 5th Floor, Plot No. C-1, G Block, Bandra Kurla Complex, Bandra (East) Mumbai – 400051 **BSE Limited**

Phirozee Jeejeebhoy Towers, Dalal Street, Mumbai - 400001

Sub: <u>Statement of Investor Complaints under Regulation 13 of SEBI (Listing Obligations & Disclosure</u>
Requirements) Regulations, 2015

Ref.: Scrip ID - STLTECH/ Scrip Code - 532374

Dear Sir/Madam,

Status Report of Investor complaints for the quarter ended December 31, 2022:

Investor Complaints pending as on October 01, 2022	0
Investor Complaints received during the quarter	178
Investor Complaints resolved during the quarter	178
Investor Complaints pending as on December 31, 2022	0

Kindly take this on your record.

Yours faithfully,

For Sterlite Technologies Limited

Amit Deshpande

Corporate General Counsel & Company Secretary (ACS 17551)



Ref: KFIN/SOTL/IGR/Q3 DATE: 06/01/2023

TO,
COMPANY SECRETARY
M/S. STERLITE TECHNOLOGIES LTD.
4TH FLOOR, GODREJ MILLENNIUM
9, KOREGAON ROAD
PUNE 411 001

Dear Sir,

SUB: STATUS OF REDRESSAL OF INVESTOR REQUESTS/GRIEVANCES FOR THE PERIOD FROM 01.10.2022 to 31.12.2022.

Pursuant to the requirement under the Regulation 13(3) of the SEBI (Listing Obligation and Disclosure Requirements) Regulations, 2015, Investor Grievance Report for the Quarter ended 31.12.2022 is as under:

Particulars	No.
Investor Grievances pending at the beginning of the Quarter i.e. 01.10.2022	00
Investor Grievances received during the Quarter	178
Investor Grievances disposed of during the Quarter	178
Investor Grievances unresolved at the end of the Quarter i.e 31.12.2022	00

Kindly acknowledge the receipt

Thanking You,

Yours faithfully, For Kfin Technologies Limited

Ganesh Chandra Patro Asst. Vice President

KFin Technologies Limited ()

ted)

(Formerly known as KFin Technologies Private Limited)

Registered & Corporate Office:

Selenium, Tower B, Plot No- 31 & 32, Financial District, Nanakramguda, Serilingampally Hyderabad Rangareddi, Telangana – 500032, India